EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$ or US-20050044496-$ or US-20050039114-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 10:44
L2	6	1 & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas sreen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 10:46
L3	6	2 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:02
L4	2	"20050044496".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:05
L5	12	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$ or US-20050044496-$ or US-20050039114-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 11:06
L6	6	5 & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas sreen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:06

L7	6	6 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:06
L8	6	5 & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas sreen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:07
L9	0	4 & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas sreen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:07
L10	12	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$ or US-20050044496-$ or US-20050039114-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 11:09
L11	12	10 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:10
L12	12	11 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:10
L13	4	("20050044496" "20090083615").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:11
L14	12	1 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:11

L15	4	13 & (independent$2 separat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:11
L16	277	"51" & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas screen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:12
L17	2	15 & (generat$3 conpos$3 build$3 design$3) & (spreadsheet with formula) & (GUI interface) & (cell) & (panel window canvas screen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:12
L18	2	"20070244672".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L19	10	("5255363" | "5416895" | "5603021" | "5752253" | "5890174").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L20	2	"5603021".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L21	438	715/212.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L22	771	715/212-220.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L23	1374	715/273.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L24	183	715/713.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L25	2269	L22 L23 L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L26	189	spreadsheet with ((formula function math caculation) near (compos$3 creat$3 writ$3 build$3 invnet$3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L27	57	L25 & L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L28	33	L27 & (@ad<"20030311" @rlad<"20030311")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L29	33	L28 & (interface window "drop down" menu GUI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L30	6	L29 & (reusable (re adj usable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L31	17	L29 & (JAVA plug-in (plug near in) (applet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L32	108	L26 & (@ad<"20030311" @rlad<"20030311")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L33	16	L32 & (reusable (re adj usable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L34	15	L33 & (JAVA plug-in (plug near in) (applet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L35	137	L26 & ((formula function math caculation) adj (compos$3 creat$3 writ$3 build$3 invnet$3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L36	86	L35 & (@ad<"20030311" @rlad<"20030311")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L37	41	L36 & (JAVA plug-in (plug near in) (applet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L38	2	"20090083615".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L39	1	L38 & spreadsheet with ((formula function math caculation) near (compos$3 creat$3 writ$3 build$3 invnet $3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L40	0	L39 & function & gui	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L41	0	L38 & function & gui	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L42	1	L39 & function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L43	10	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 11:16
L44	8	L43 & (JAVA plug-in (plug near in) (applet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L45	2	"20050044496".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L46	11	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$ or US-20050044496-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 11:16
L47	0	L46 & (gui interface interactive (work near space) window) & (cell near (id identif$ name number)) & ((specify$3 specific) near data near input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L48	3	L46 & (gui interface interactive (work near space) window) & (cell near (id identif$ name number)) & (data near input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L49	10	L46 & (gui interface interactive (work near space) window) & (cell near (id identif$ name number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L50	4	("5603021" "20090083615").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L51	0	L50 & (gui interface interactive (work near space) window) & (cell near input $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L52	2	L50 & (gui interface interactive (work near space) window) & (cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L53	2	L50 & (gui interface interactive (work near space) window) & (cell) & pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L54	2	L50 & (gui interface interactive (work near space) window) & ((cell) with pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L55	0	L54 & (cell near (id name pointer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L56	2	L54 & (cell with (id name pointer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L57	2	L56 & L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L58	2	L57 & ((formula function math caculation) adj (compos$3 creat$3 writ$3 build$3 invnet$3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L59	10	L46 & ((formula function math caculation) adj (compos$3 creat$3 writ$3 build$3 invnet$3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L60	10	L59 & (operat$3 boolean)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L61	6	L59 & (operator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L62	7	L59 & (java)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L63	50	kotler & (java)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L64	11	kotler.in. & (java)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L65	11	(US-20070244672-$ or US-20080034281-$ or US-20050015714-$ or US-20090089657-$ or US-20070006139-$ or US-20090083615-$ or US-20050044496-$).did. or (US-5603021-$ or US-7523390-$ or US-7010779-$ or US-6138130-$).did.	US-PGPUB; USPAT	OR	ON	2010/11/15 11:16
L66	10	L65 & ((formula function math caculation) adj (compos$3 creat$3 writ$3 build$3 invnet$3 compil$3 "make up"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L67	5	L66 & java & (GUI windows menu dropdown)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L68	5	L67 & function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L69	3	L67 & function & formula & operator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L70	1	L69 & (formula near (model reusable template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L71	18	L26 & (formula near (model reusable template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L72	6	L71 & (JAVA plug-in (plug near in) (applet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L73	6	L72 & cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L74	4	("5603021" "20050039114").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L75	2	("5603021" "20050039114").pn. & (tool wizard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L76	0	("5603021" "20050039114").pn. & (drag with drop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L77	0	("5603021" "20050039114").pn. & (pate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

L78	1	("5603021" "20050039114"). pn. & (drag$4 & drop$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L79	52	L26 & (drag$4 & drop$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L80	3	L71 & (drag$4 & drop$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16
L81	2	L71 & (cut$3 & past$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/15 11:16

11/ 15/ 2010 11:23:17 AM
H:\ Workspaces\ 10577956 FOAM.wsp